

Keyword Driven Framework In Uft With Complete Source Code

Keyword Driven Framework in UFT with Complete Source Code

Automating tests is crucial for efficient software development, and UFT (Unified Functional Testing) offers robust capabilities for this. A particularly powerful approach is using a **keyword-driven framework in UFT**, which significantly improves test maintainability, reusability, and collaboration. This article dives deep into building such a framework, providing complete source code examples and exploring its advantages. We will also cover topics like **UFT test automation**, **data-driven testing in UFT**, and the overall implementation of a **keyword driven test framework**.

Understanding the Keyword Driven Framework in UFT

A keyword-driven framework, also known as a table-driven framework or action word framework, separates test script logic from test data. Test steps are represented by keywords, which are then mapped to actions within UFT. This decoupling allows business users, with limited coding experience, to design tests by selecting keywords and inputting data, while developers focus on creating robust, reusable functions. This approach dramatically reduces the time and effort needed for test creation and maintenance. For example, instead of writing complex VBScript code for each login attempt, a keyword like "Login" would execute the necessary actions.

Benefits of a Keyword Driven Framework in UFT

Adopting a keyword-driven testing approach in UFT offers several significant advantages:

- **Increased Reusability:** Keywords represent reusable components, significantly reducing redundant code. A single

"ClickButton" keyword, for instance, can be used across multiple tests and applications.

- **Enhanced Maintainability:** Changes to the application under test require modifications only in the keyword's implementation, not across multiple test scripts.
- **Improved Collaboration:** Business analysts and testers can design tests using keywords without deep programming knowledge, fostering better collaboration between development and testing teams.
- **Reduced Development Time:** The reusable nature of keywords significantly accelerates test development.
- **Easier Test Data Management:** Test data is separated from the script logic, making it easier to manage and update. This naturally integrates with **data-driven testing in UFT**, enhancing the framework's flexibility.

Implementing a Keyword Driven Framework in UFT: Step-by-Step Guide

Let's illustrate the implementation with a simple login scenario. We will utilize Excel sheets to store our test data and keywords.

1. Keyword Repository (Excel Sheet):

Create an Excel sheet with columns for "Keyword," "Action," "Object," and "Value."

Keyword	Action	Object	Value
OpenBrowser	OpenBrowser	Browser	Chrome
Navigate	Navigate	URL	https://www.google.com
EnterText	Type	UsernameTextbox	myusername
EnterText	Type	PasswordTextbox	mypassword
ClickButton	Click	LoginButton	
CloseBrowser	CloseBrowser	Browser	

2. UFT Test Script:

```
```\vbscript
```

```
Option Explicit
```

```
Function RunKeyword(Keyword, Action, Object, Value)
```

```
On Error Resume Next
```

```
Dim objObject
```

```
Set objObject = Description.Create()
```

```
objObject("name").Value = Object
```

```
Select Case Keyword
```

```
Case "OpenBrowser"
```

```
Browser("title:=.*").Open Value
```

```
Case "Navigate"
```

```
Browser("title:=.*").Navigate Value
```

```
Case "EnterText"
```

```
objObject.Type Value
```

```
Case "ClickButton"
```

```
objObject.Click
```

Case "CloseBrowser"

Browser("title:=.\*").Close

Case Else

MsgBox "Keyword not found: " & Keyword

End Select

On Error GoTo 0

End Function

Sub Main

Dim objExcel, objWorksheet, i, LastRow

Set objExcel = CreateObject("Excel.Application")

objExcel.Visible = True

Set objWorksheet = objExcel.Workbooks.Open("C:\Keywords.xls").Worksheets(1) 'Path to your Excel file

LastRow = objWorksheet.Cells(Rows.Count, 1).End(xlUp).Row

For i = 2 To LastRow 'Start from row 2 to skip header row

RunKeyword objWorksheet.Cells(i, 1).Value, objWorksheet.Cells(i, 2).Value, objWorksheet.Cells(i, 3).Value, objWorksheet.Cells(i, 4).Value

Next

objExcel.Quit

```
Set objExcel = Nothing
```

```
End Sub
```

```
```\n
```

This script reads the keyword data from the Excel sheet and executes the corresponding actions in UFT. Remember to replace `C:\\Keywords.xls` with the actual path to your Excel file. This basic example demonstrates the fundamental principles. A more robust implementation would include error handling, logging, and more sophisticated object identification techniques. Furthermore, the usage of external libraries or customized functions can significantly enhance the capabilities of your **keyword driven test framework**.

Extending the Keyword Driven Framework: Advanced Techniques

This simple framework can be extended considerably. Consider adding features like:

- **Parameterization:** Pass dynamic values to keywords, allowing for greater flexibility in test execution.
- **Reporting:** Integrate with reporting tools to generate detailed test results.
- **Modular Design:** Break down complex keywords into smaller, more manageable sub-keywords.
- **Object Repository:** Utilize UFT's object repository for better object identification and maintenance.
- **Data-Driven Testing Integration:** Seamlessly integrate data from external sources like databases or CSV files.

Conclusion

Implementing a keyword-driven framework in UFT offers a significant upgrade in your test automation strategy. By separating test logic from test data, you achieve better maintainability, reusability, and collaboration. While the initial setup requires planning, the long-term benefits, including reduced development time and increased efficiency, are substantial. The provided code serves as a foundation; further development and customization will tailor it to your specific needs and testing environment. Remember that robust error handling and comprehensive reporting are essential for a production-ready keyword-driven framework. Utilizing this approach effectively leverages the strengths of UFT for robust and efficient test automation.

FAQ

Q1: What are the limitations of a keyword-driven framework?

A1: While keyword-driven frameworks offer many advantages, they also have limitations. Complex test scenarios might require intricate keyword combinations, increasing the complexity of the keyword repository. Also, debugging can be more challenging compared to script-based approaches as you're working at a higher level of abstraction. Furthermore, initial setup and maintenance of the keyword repository can be time-consuming.

Q2: How does a keyword-driven framework differ from a data-driven framework?

A2: Keyword-driven frameworks separate test logic (keywords) from test data, while data-driven frameworks primarily focus on separating test data from test scripts. A keyword-driven framework uses keywords to represent actions, while a data-driven framework uses data sets to drive the test execution. Often, a hybrid approach is used, combining the strengths of both.

Q3: Can I use external data sources with my keyword-driven framework?

A3: Absolutely! The power of a keyword-driven framework shines when combined with external data sources. You can easily read test data from Excel files, databases (like SQL Server or Oracle), CSV files, or even APIs. This allows for a more efficient and flexible testing process.

Q4: How do I handle error conditions within my keywords?

A4: Robust error handling is crucial. Incorporate error-checking mechanisms within each keyword function. Use `On Error Resume Next` and `On Error GoTo 0` statements in VBScript to gracefully handle exceptions. Log error messages for detailed debugging and reporting.

Q5: What are some best practices for designing keywords?

A5: Keywords should be concise, descriptive, and easily understandable. Strive for reusability, making them as generic as possible. Avoid overly complex keywords; break down complex actions into smaller, more manageable units. Maintain a consistent naming convention.

Q6: How can I integrate my keyword-driven framework with a CI/CD pipeline?

A6: Integrate your UFT tests into your CI/CD pipeline using tools like Jenkins or Azure DevOps. This allows for automated test execution as part of the build process, providing continuous feedback and improving the development cycle.

Q7: What are some alternatives to a keyword-driven framework in UFT?

A7: Other approaches include data-driven frameworks, modular frameworks, and hybrid frameworks combining aspects of various approaches. The best choice depends on the project's complexity and specific needs.

Q8: How can I improve the object identification within my keyword-driven framework?

A8: Employ a robust object repository and explore different object identification techniques, such as using descriptive programming, regular expressions, and smart identification. Consider using image-based recognition for scenarios with challenging object identification.

Keyword Driven Framework in UFT with Complete Source Code: Streamlining Your Test Automation

Automating QA procedures is essential in today's fast-paced software delivery lifecycle. Among the plethora of automation frameworks at hand, the Keyword Driven Framework (KDF) stands out for its adaptability and sustainability . This article delves into the execution of a KDF in UFT (Unified Functional Testing), providing a complete source code example and stressing its perks.

The core idea behind a KDF entails differentiating test reasoning from test details. Test steps are portrayed as keywords, each corresponding to a particular operation inside the application below test (AUT). Those keywords are maintained in external data sources like spreadsheets , enabling testers to readily modify test scenarios without modifying the underlying code. This promotes repeatability and substantially minimizes preservation work.

Think of it like a recipe : the keywords are like the elements, and the data sheet is the recipe itself. You can easily swap elements (data) without re-structuring the whole instruction manual (script).

Implementing a Keyword Driven Framework in UFT:

The ensuing sections outline the implementation of a KDF utilizing UFT. We will focus on a elementary example, but the ideas can be scaled to handle more complex situations .

1. Keyword Definition:

We begin by specifying our keywords. Those keywords will signify typical actions performed during testing, such as logon , travel to a particular page, enter data into boxes , and check outcomes . Each keyword will be associated to a corresponding UFT procedure.

2. Data Sheet:

Next, we construct an separate data sheet (e.g., an Excel spreadsheet) to contain test data. This data sheet will comprise columns for each keyword and the corresponding data necessary for that keyword. For example, for the "login" keyword, we might have columns for "username" and "password".

3. UFT Script:

Our UFT code will then retrieve the data from the external data sheet and run the corresponding UFT functions dependent on the keywords found in the data.

Complete Source Code Example:

(Note: This is a simplified example. A real-world implementation would be significantly much thorough .)

```
```vbscript
```

```
' UFT Script
```

```
Option Explicit
```

```
Sub Main()
```

```
Dim objExcel, objWorksheet, strKeyword, strData
```

```
Dim iRow, iCol, lastRow

' Create Excel object

Set objExcel = CreateObject("Excel.Application")

Set objWorksheet = objExcel.Workbooks.Open("C:\testData.xls").Worksheets("Sheet1") 'Change path

' Get last row

lastRow = objWorksheet.Cells(Rows.Count, 1).End(xlUp).Row

' Loop through each row in the Excel sheet

For iRow = 2 To lastRow 'Start from row 2 to skip header

strKeyword = objWorksheet.Cells(iRow, 1).Value

Select Case strKeyword

Case "Login"

Call Login(objWorksheet.Cells(iRow, 2).Value, objWorksheet.Cells(iRow, 3).Value)

Case "NavigateToPage"

Call NavigateToPage(objWorksheet.Cells(iRow, 2).Value)

Case "EnterData"

Call EnterData(objWorksheet.Cells(iRow, 2).Value, objWorksheet.Cells(iRow, 3).Value)

Case "VerifyResult"
```

```
Call VerifyResult(objWorksheet.Cells(iRow, 2).Value)

Case Else

Reporter.ReportEvent micFail, "Keyword not found:", strKeyword

End Select

Next iRow

' Clean up

objWorksheet.Close

objExcel.Quit

Set objWorksheet = Nothing

Set objExcel = Nothing

End Sub

' Function to perform login

Sub Login(strUsername, strPassword)

' UFT code to perform login using strUsername and strPassword

' ...your login code here...

Reporter.ReportEvent micPass, "Login successful", "User: " & strUsername

End Sub
```

```
' ...other functions for NavigateToPage, EnterData, VerifyResult...
```

```
...
```

#### **testData.xls (Example):**

```
| Keyword | Data1 | Data2 |
```

```
|-----|-----|-----|
```

```
| Login | user1 | pass1 |
```

```
| NavigateToPage| /homePage | |
```

```
| EnterData | txtFirstName | John |
```

```
| VerifyResult | Success Message | |
```

#### **Advantages of Keyword Driven Framework:**

- Enhanced recyclability of test components .
- Easier test upkeep .
- Increased collaboration between testers and business stakeholders .
- Minimized test development time.
- Better test reach .

#### **Conclusion:**

The Keyword Driven Framework provides a strong and efficient approach to quality assurance. By distinguishing test rationale from test data, it substantially improves maintainability and lessens preservation cost. The example source code provides a basic structure that can be extended and adapted to accommodate diverse QA needs.

#### **Frequently Asked Questions (FAQs):**

**Q1: What are the limitations of a Keyword Driven Framework?**

A1: While powerful , KDFs can become intricate to manage for highly large and complex projects. The starting setup can also demand considerable work.

**Q2: Can I integrate a Keyword Driven Framework with other testing tools?**

A2: Yes, KDFs are not confined to UFT. The underlying concepts can be utilized using other testing tools and dialects .

**Q3: How do I manage errors inside a Keyword Driven Framework?**

A3: Solid error processing is essential . You can deploy error-handling blocks inside your UFT functions to capture and handle errors elegantly.

**Q4: What are some best practices for designing a Keyword Driven Framework?**

A4: Follow straightforward naming conventions for keywords. Keep keywords concise and targeted. Adequately record your keywords and their functionality . Use a revision control system to manage changes to your skeleton.

[https://governance.ucci.edu.ky/012751/DW73951956/link/quantity-surveying\\_dimension\\_paper\\_template.pdf](https://governance.ucci.edu.ky/012751/DW73951956/link/quantity-surveying_dimension_paper_template.pdf)

[https://governance.ucci.edu.ky/300926/23663OA467/search/td4-crankcase-breather\\_guide.pdf](https://governance.ucci.edu.ky/300926/23663OA467/search/td4-crankcase-breather_guide.pdf)

[https://governance.ucci.edu.ky/300926/11215164CM/dl/toshiba\\_laptop-repair-manual.pdf](https://governance.ucci.edu.ky/300926/11215164CM/dl/toshiba_laptop-repair-manual.pdf)

[https://governance.ucci.edu.ky/pl302609/L55126P201012751/data/kyocera-kmc2525e\\_manual.pdf](https://governance.ucci.edu.ky/pl302609/L55126P201012751/data/kyocera-kmc2525e_manual.pdf)

[https://governance.ucci.edu.ky/uf302609/F1U2403740012751/list/cambridge-maths\\_year-9\\_answer.pdf](https://governance.ucci.edu.ky/uf302609/F1U2403740012751/list/cambridge-maths_year-9_answer.pdf)

[https://governance.ucci.edu.ky/X4141429D3/X89033D/slug/2002\\_audi-a6-quattro-owners\\_manual\\_free-download-126367.pdf](https://governance.ucci.edu.ky/X4141429D3/X89033D/slug/2002_audi-a6-quattro-owners_manual_free-download-126367.pdf)

[https://governance.ucci.edu.ky/fd302609/76F77503D3012751/mirror/nonlinear\\_systems-hassan\\_khalil\\_solution-manual\\_2011.pdf](https://governance.ucci.edu.ky/fd302609/76F77503D3012751/mirror/nonlinear_systems-hassan_khalil_solution-manual_2011.pdf)

[https://governance.ucci.edu.ky/co302609/260C969O83012751/visit/the-lords-prayer-in\\_the\\_early-church-the\\_pearl\\_of-great\\_price.pdf](https://governance.ucci.edu.ky/co302609/260C969O83012751/visit/the-lords-prayer-in_the_early-church-the_pearl_of-great_price.pdf)

[https://governance.ucci.edu.ky/84MM337/300926/data/the-michigan-estate-planning\\_a\\_complete\\_do-it\\_yourself\\_guide\\_to-plannin\\_g\\_an-estate\\_in-michigan.pdf](https://governance.ucci.edu.ky/84MM337/300926/data/the-michigan-estate-planning_a_complete_do-it_yourself_guide_to-plannin_g_an-estate_in-michigan.pdf)

[https://governance.ucci.edu.ky/sp302609/P7040S5655012751/data/sony\\_ta\\_av650-manuals.pdf](https://governance.ucci.edu.ky/sp302609/P7040S5655012751/data/sony_ta_av650-manuals.pdf)